

CPSIA Section 102 (a)(1) Certification

Products Covered by this Certificate:

Product Name and Strength: Amlodipine besylate and Atorvastatin calcium Tablets, 10 mg/10 mg

Count: 30's

NDC Code: 43598-321-30

Lot Number: Applicable to all lots produced.

Product Safety Regulation:

Poison Prevention Packaging Act: 15 USC 1471, 16 CFR 1700.14

Identification of the US importer or domestic manufacturer certifying compliance of the product:

Dr. Reddy's Laboratories, Inc.
107 College Road East
Princeton, NJ 08540

Contact Information:

Customer Service
Dr. Reddy's Laboratories Louisiana, LLC
8800 Line Avenue, Shreveport, LA 71106
1-866-733-3952
Email: customerservice@drreddys.com

Location of Manufacture:

Dr. Reddy's Laboratories Limited
Bachupally - 500 090 INDIA

Date and Location of Testing for Compliance:

Protocol/Report Number:
FPC-12032 / FPC-12058/ 2131-001
Report Date:
16.07.2012 / 10.12.2012/ 21-05-2020 respectively

Location of Testing:

Forensic Packaging Concepts, Inc.
256 Ashmore Circle
Troutman, NC 28166 USA

Perritt Laboratories,
145 South Main street, POB 147
Hightstown, NJ 08520 USA

Third-Party Laboratory Certificate Testing:

Forensic Packaging Concepts, Inc.
256 Ashmore Circle
Troutman, NC 28166 USA

Perritt Laboratories,
145 South Main street, POB 147
Hightstown, NJ 08520 USA