

## **CPSIA Section 102 (a)(1) Certification**

### **Products Covered by this Certificate:**

**Product Name and Strength:** Amlodipine besylate and Atorvastatin calcium Tablets, 10 mg/20 mg

**Count:** 90's

**NDC Code:** 43598-318-90

**Lot Number:** Applicable to all lots produced.

### **Product Safety Regulation:**

Poison Prevention Packaging Act: 15 USC 1471, 16 CFR 1700.14

### **Identification of the US importer or domestic manufacturer certifying compliance of the product:**

Dr. Reddy's Laboratories, Inc.  
107 College Road East  
Princeton, NJ 08540

### **Contact Information:**

Customer Service  
Dr. Reddy's Laboratories Louisiana, LLC  
8800 Line Avenue, Shreveport, LA 71106

1-866-733-3952  
Email: customerservice@drreddys.com

### **Location of Manufacture:**

Dr. Reddy's Laboratories Limited  
Bachupally - 500 090 INDIA

### **Date and Location of Testing for Compliance:**

**Protocol/Report Number:**  
FPC-12016 / FPC-12059  
**Report Date:**  
14.03.2012 / 13.12.2012 respectively

### **Location of Testing:**

Forensic Packaging Concepts, Inc.  
256 Ashmore Circle  
Trautman, NC 28166 USA

### **Third-Party Laboratory Certificate Testing:**

Forensic Packaging Concepts, Inc.  
256 Ashmore Circle  
Trautman, NC 28166 USA